



TRUCK TANKERS

-56141-010-30

	0,83 / ³
Tank truck for light oil product with density not more than 0,83 t/m ³	
(base chassis of truck)	-5336 5-340
/ (engine /power, hp)	-6582.10 / 330
(gearbox (number of gears))	-2381 (8)
, ³ (rated volume, m ³)	11
	21-45
(Rated productivity of dump, m ³ /h)	
/ (tank material / section form)	/
(laden mass, kg)	8300
(gross weight, kg)	18000
(Overall dimensions (long x width x height))	8300 2500 3160
(Maker of special equipment)	« » /



-56141-010-31

	0,83 / ³
Tank truck for light oil product with density not more than 0,83 t/m ³	
(base chassis of truck)	-5337 2-346
/ (engine /power, hp)	-6563.10 / 230
(Gearbox (number of gears))	-2361 (5)
, ³ (rated volume, m ³)	11
	21-45
(rated productivity of dump, m ³ /h)	
/ (tank material / section form)	steel / trunk
(laden mass, kg)	8600
(gross weight, kg)	18000
(Overall dimensions (long x width x height))	7250 2500 3050
(Maker of special equipment)	« » /



-56142-010-030

	0,83 / ³
Bowser with light oil product with density not more than 0,83 t/m ³	
(base chassis of truck)	-5336 5-340
/ (engine /power, hp)	-6582.10 / 330
(gearbox (number of gears))	-2381 (8)
, ³ (rated volume, m ³)	11
	21-45
(rated productivity of dump, m ³ /h)	
/ (tank material / section form)	steel / trunk
(laden mass, kg)	9300
(gross weight, kg)	18000
(Overall dimensions (long x width x height))	8300 2500 3160
(Maker of special equipment)	« » /



-56142-010-31

	0,83 / ³
Bowser with light oil product with density not more than 0,83 t/m ³	
(base chassis of truck)	-5337 2-346
/ (engine /power, hp)	-6563.10 / 230
(gearbox (number of gears))	-2361 (5)
, ³ (rated volume, m ³)	11
	21-45
(rated productivity of dump, m ³ /h)	
/ (tank material / section form)	steel / trunk
(laden mass, kg)	8600
(gross weight, kg)	18000
(Overall dimensions (long x width x height))	7250 2500 3050
(Maker of special equipment)	« » /



This info is given according to auto maker of attached implements. MAZ is not responsible for this information.



TRUCK TANKERS

-56142-010-32



	0,83 / ³
Tank truck for light oil product with density not more than 0,83 t/m ³	
(base chassis of truck)	-6303 5-340
(engine / power, hp)	-6582.10 / 330
(gearbox (number of gears))	-2381(8)
³ (rated volume, m ³)	11
(rated productivity of dump, m ³ /h)	21-45
(tank material / section form)	steel / trunk
(laden mass, kg)	15300
(gross weight, kg)	24500
(Overall dimensions (long x width x height))	7900 2500 3120

(Maker of special equipment) « » /

-56216-011-31, -56216-011-32



	0,83 / ³
Tank truck for light oil product with density not more than 0,83 t/m ³	
(base chassis of truck)	-6303 5-340, -6303 5-350, -6303 8-343
(engine / power, hp)	-6582.10/330, -6582.10/330, -6581.10/400
(gearbox (number of gears))	-2381 (8), -2381 (8), -239 (9)
³ (rated volume, m ³)	17
(rated productivity of dump, m ³ /h)	21-45
(tank material / section form)	steel / trunk
(laden mass, kg)	12560
(gross weight, kg)	26500
(Overall dimensions (long x width x height))	10200 2500 3200, 7900 2500 3200, 10200 2500 3200

(Maker of special equipment) « » /

20



	0,83 / ³
Bowser with light oil product with density not more than 0,83 t/m ³	
(base chassis of truck)	-631705-370
(engine / power, hp)	-238 2 / 330
(gearbox (number of gears))	-239 (9)
³ (rated volume, m ³)	2
(section number)	20
(tank material / section form)	steel / trunk
(laden mass, kg)	16550
(gross weight, kg)	33150
(Overall dimensions (long x width x height))	9770x255 x3750

(Maker of special equipment) « » /

-96227



	Semi trailer-tank for light oil
(base chassis of truck)	-938920-011
³ (rated volume, m ³)	35
(section number)	3
(tank material / section form)	steel / trunk
(laden mass, kg)	10750
(gross weight, kg)	39000
(Overall dimensions (long x width x height))	11300 2500 3200

(Maker of special equipment) « » /



TRUCK TANKERS

-8638-012-01

Mobile gasoline stand	
(base chassis of truck)	-892600-012-02
(rated volume, m ³)	8.5
(tank material / section form)	steel / trunk
(laden mass, kg)	5000
(gross weight, kg)	12000
(Overall dimensions (long x width x height))	7630 2500 32600
(Maker of special equipment)	« » /



-86531

Semi trailer-tank for light oil	
(base chassis of truck)	-837810-1012
(rated volume, m ³)	15.0
(section number)	2
(tank material / section form)	steel / trunk
(laden mass, kg)	7100
(gross weight, kg)	20000
(Overall dimensions (long x width x height))	9925 2500 3500
(Maker of special equipment)	« » /



6- -6303

Food liquid tanker	
(base chassis of truck)	-6303 5-340 (-6303 5-350)
(engine / power, hp)	-6582.10 / 330
(gearbox (number of gears))	-2381-02 (8)
(capacity, m ³)	12.0
(number of sections)	2
(cistern material)	/ stainless steel
(cistern laden mass, kg)	12000
(gross weight)	24500
(Overall dimensions (long x width x height))	9200x2500x3200
(Maker of special equipment)	« » /



6- -9919

Food liquid semitrailer tanker	
(base chassis of truck)	-991900-010
(rated volume, m ³)	24
(section number)	3
(tank material)	/ stainless steel
(laden mass)	10000
(gross weight)	35000
(Overall dimensions (long x width x height))	12500 2500 3400
(Maker of special equipment)	« » /





АВТОЦИСТЕРНЫ / TRUCK TANKERS АВТОБЕТОНОСМЕСИТЕЛИ / TRUCK MIXERS



6- -7,5; 6- -5336

Tanker for food liquids		
(base chassis of truck)	-5337 2-346	-5336 5-340
/ (engine / power, hp)	-6563.10 / 230	-6582.10 / 330
(gearbox (number of gears))	-2361 (5)	-2381 (8)
(volume, m ³)	7,5	7,5
(Section number)	3	3
(tank material)	/ stainless steel	
(laden mass, kg)	8100	8700
(gross weight, kg)	16000	16500
(Overall dimensions (long x width x height))	7200 2500 2880	8300 2500 3300

(Maker of special equipment) “ ”, .



-4,5

Tanker for food liquids		
(base chassis of truck)	-457043-342-010	
/ (engine / power, hp)	- 245.30 3 / 155	
(gearbox (number of gears))	-433420 (5)	
(volume, m ³)	4700	
(Section number)	2	
(tank material)	/ stainless steel	
(Tanker laden mass, kg)	4800	
(Tanker gross weight, kg)	10100	
(Overall dimensions (long x width x height))	5830 2500 2900	

(Maker of special equipment) “ ”, .



-4 A

Truck mixer with drive from autonomous engine		
(base chassis of truck)	-533702-246,	-5337 2-346
/ (engine / power, hp)	-236 2 / 230,	-6563.10 / 230
(gearbox (number of gears))	-2361(5)	
(Net volume of mixing drum, m ³)	4	
(water tank capacity)	600,1000	
(load height, mm)	3500	
(laden mass, kg)	10100,10050	
(gross weight, kg)	16000, 18000	

(Maker of special equipment) “ ”, .



-4 -02

Truck mixer with drive from autonomous engine		
(base chassis of truck)	-533702-246,	-5337 2-346
/ (engine / power, hp)	-236 2 / 230,	-6563.10 / 230
(gearbox (number of gears))	-2361(5)	
(Net volume of mixing drum, m ³)	4	
(water tank capacity)	400	
(load height, mm)	3500	
(gross weight, kg)	16000	

(Maker of special equipment) « », .

Данная информация представлена по материалам заводов изготовителей навесного оборудования. Предприятие не несет ответственности за данную информацию.
This info is given according to auto maker of attached implements. MAZ is not responsible for this information.



TRUCK MIXERS

-5

Truck mixer with drive from autonomous engine		
(base chassi of truck)	-533702-248,	-5337 2-348
/ (engine / power, hp)	-236 2 / 230,	-6563.10 / 230
() (Gearbox (number of gears))		-2361(5)
(Net volume of mixing drum, m ³)		5
(water tank capacity)		400
(load height, mm)		3600
(laden mass, kg)		9300
(gross weight, kg)		16000
()		
(Overall dimensions (long x width x height))	7800 2500	3600
(Maker of special equipment)		



-7

Truck mixer with drive from autonomous engine		
(base chassi of truck)	-630303-245,	-6303 3-345
/ (engine / power, hp)	-236 2 / 250,	-6562.10 / 250
() (gearbox (number of gears))		-2381 (8)
(Net volume of mixing drum, m ³)		7
(water tank capacity)		600
(load height, mm)		3700
(laden mass, kg)		11500
(gross weight, kg)		24000
()		
(Overall dimensions (long x width x height))	7800 2500	3700
(Maker of special equipment)		



-7 A

Truck mixer with drive from autonomous engine		
(base chassi of truck)	-630305-250,	-6303 5-350
/ (engine / power, hp)	-238 2 / 330,	-6582.10 / 330
() (gearbox (number of gears))		-2381 (8)
(Net volume of mixing drum, m ³)		7
(water tank capacity)		6800, 850
(load height, mm)		3690
(laden mass, kg)		13850
(gross weight, kg)		24700
()		
(Overall dimensions (long x width x height))	9570 2500	3700
(Maker of special equipment)		



-8 A

Truck mixer with drive from autonomous engine		
(base chassi of truck)	-630305-247,	-5516 5-347
/ (engine / power, hp)	-238 2 / 330,	-6582.10 / 330
() (gearbox (number of gears))		-2381 (8)
(Net volume of mixing drum, m ³)		8
(water tank capacity)		850
(load height, mm)		3720
(laden mass, kg)		14300
(gross weight, kg)		33000
()		
(Overall dimensions (long x width x height))	8360 2500	3720
(Maker of special equipment)		



This info is given according to auto maker of attached implements. MAZ is not responsible for this information.



АВТОБЕТОНОСМЕСИТЕЛИ / TRUCK MIXERS КОММУНАЛЬНАЯ ТЕХНИКА MUNICIPAL VEHICLES

-9 A



Truck mixer with drive from autonomous engine

(base chassi of truck)	-551605-247,	-5516 5-347
/ (engine / power, hp)	-238 2 / 330,	-6582.10 / 330
() (gearbox (number of gears))		-2381 (8)
(Net volume of mixing drum, m ³)		9
(water tank capacity)		850, 1000
(load height, mm)		3645
(laden mass, kg)		14600
(gross weight, kg)		32225

(Maker of special equipment) " - " -

-326



Sweep-cleaning vehicle

(base chassi of truck)	-5337 2-383
/ (engine / power, hp)	-6563.10 / 230
() (gearbox (number of gears))	-2361 (5)
(mass of loading estimate, kg)	7125
(body volume, m ³)	7.0
(cleaning width, m)	2.5
(% (efficiency of cleaning, %))	95
(gross weight, kg)	19500
(Overall dimensions (long x width x height))	6700 25000 3400

(Maker of special equipment)

ОАО "Мценский завод коммунального машиностроения", г. Мценск

-427-32 (-5903 2), -427-33



Garbage truck with rear unloading

(base chassi of truck)	-427-32	-427-33
/ (engine / power, hp)	-5337 2-348	-533731-346
() (gearbox (number of gears))	-6563.10 / 230	Deutz BF4M1013FC / 190
() (gearbox (number of gears))	-2361 (5)	ZF 6S850 (6)
(body volume, m ³)		16
(mass of domestic waste, kg)		6800
(tipping device payload, kg)		500
(gross weight, kg)		19000
(Overall dimensions (long x width x height))		8300 2550 3500

(Maker of special equipment)

ОАО "Мценский завод коммунального машиностроения", г. Мценск

-427-42, -427-41



Garbage truck with rear unloading

(base chassi of truck)	-427-42	-427-41
/ (engine / power, hp)	-6303A3-345	-630333-345
() (gearbox (number of gears))	-6562.10 / 250	Deutz BF6M1013FC/286
() (gearbox (number of gears))	-2381 (8)	ZF 9S109(9)
(body volume, m ³)		20
(mass of domestic waste, kg)		11000 / 10600
(tipping device payload, kg)		500
(gross weight, kg)		26700
(Overall dimensions (long x width x height))		9400 2550 3550 / 3900

(Maker of special equipment)

ОАО "Мценский завод коммунального машиностроения", г. Мценск

Данная информация представлена по материалам заводов изготовителей навесного оборудования. Предприятие не несет ответственности за данную информацию.
This info is given according to auto maker of attached implements. MAZ is not responsible for this information.